


Single-Hung Window Details


Scale 1 1/2" (38) = 1'-0" (305) = 1:8

1 3/8" flange setback




Vertical Section

1" flange setback with stucco key




Vertical Section
stucco exterior


no flange




Vertical Section
existing opening or insert



Horizontal Section




Horizontal Section
stucco exterior




Horizontal Section
existing opening or insert


Integrals



Horizontal Section
Twin or Triple Single-Hung



Horizontal Section
Picture with Flanking Single-Hung




Vertical Section
Transom over Single-Hung


- Drip cap is required to complete window installation as shown, but may not be included with the window. Use of drip cap is recommended for proper installation.
- Light-colored areas are parts included with window. Dark-colored areas are additional Andersen parts required to complete window assembly as shown.
- Rough openings may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Details are for illustration only and are not intended to represent product installation methods or materials. Refer to product installation guides at andersenwindows.com.
- Dimensions in parentheses are in millimeters.

Picture and Transom Window Details

Scale 1 1/2" (38) = 1'-0" (305) – 1:8







Horizontal Section



Vertical Section

Interior Trim Options

Extension jamb and drywall return bead applications shown.




- 4 9/16" (116) jamb width measurement is from backside of installation flange.
- Light-colored areas are parts included with window. Dark-colored areas are additional Andersen® parts required to complete window assembly as shown.
- Rough openings may need to be increased to allow for use of building wraps, flashing, sill panelling, brackets, fasteners or other items.
- Details are for illustration only and are not intended to represent product installation methods or materials. Refer to product installation guides at andersenwindows.com.
- Dimensions in parentheses are in millimeters.

CASEMENT/AWNING WINDOWS


Casement Window Details

Scale 1 1/2" (38) = 1'-0" (305) – 1:8



Awning Window Details

Scale 1 1/2" (38) = 1'-0" (305) – 1:8



- 4 9/16" (116) Jamb width measurement is from backside of installation flange.
- Light-colored areas are parts included with window. Dark-colored areas are additional Andersen® parts required to complete window assembly as shown.
- Rough openings may need to be increased to allow for use of building wraps, flashing, sill panelling, brackets, fasteners or other items.
- Details are for illustration only and are not intended to represent product installation methods or materials. Refer to product installation guides at andersenwindows.com.
- Dimensions in parentheses are in millimeters.