



FLARED END SECTION TABLE	
STRUCTURE	STRUCTURE DETAILS
FES 6	PIPE 5-6 INV IN = 197.00
FES 12	PIPE 11-12 INV IN = 197.00

SANITARY SEWER STRUCTURE TABLE	
STRUCTURE	STRUCTURE DETAILS
EX SMH	RIM = 209.30 SUMP = 202.70 PIPE 2-EX INV IN = 202.80 EX. PIPE INV OUT = 202.70
SMH 1	RIM = 210.67 SUMP = 204.50 PIPE 1-2 INV OUT = 204.50
SMH 2	RIM = 216.49 SUMP = 203.27 PIPE 1-2 INV IN = 203.37 PIPE 2-EX INV OUT = 203.27

SANITARY SEWER PIPE TABLE			
PIPE NAME	LENGTH	SIZE AND MATERIAL	SLOPE
PIPE 1-2	282 LF	8" SDR-26 PVC	0.40%
PIPE 2-EX	116 LF	8" SDR-26 PVC	0.40%
EX. PIPE	111 LF	8" SDR-35 PVC	7.88%

25 TOWNSEND STREET
CITY OF BEACON
DUTCHESS COUNTY, NEW YORK
TAX ID: 6055-03-383149
SCALE: 1" = 40'
DECEMBER 7, 2015

SEAL

JON D. BODENDORF, P.E.
NYS LICENSE NO. 076245
DANIEL G. KOEHLER, P.E.
NYS LICENSE NO. 082716

SHEET: 2 OF 3

DRAWN BY: JDB		CHECKED BY: MAB	JOB NO.: 2015:025
REVISIONS:			
NO.	DATE	DESCRIPTION	BY
1	05/31/16	PER PLANNING BOARD COMMENTS	CMB
2	03/28/17	PER PLANNING BOARD COMMENTS	DGK
3	04/24/17	PER PLANNING BOARD COMMENTS	DGK

DCDOH STANDARD NOTE:
FOR PERMISSION TO FILE
THIS PLAN DOES NOT CONSTITUTE A REALTY SUBDIVISION AS DEFINED BY ARTICLE XI, TITLE II, SECTION 1115 OF THE PUBLIC HEALTH LAW OF THE STATE OF NEW YORK, AND ARTICLE XI OF THE DUTCHESS COUNTY SANITARY CODE. PERMISSION IS HEREBY GRANTED FOR THE FILING OF THIS MAP WITH THE CLERK OF DUTCHESS COUNTY. APPROVAL FOR ARRANGEMENTS FOR WATER SUPPLY AND/OR SEWAGE DISPOSAL IS NEITHER SOUGHT NOR GRANTED.

AUTHORIZED REPRESENTATIVE OF THE COMMISSIONER OF HEALTH _____ DATE _____

APPROVED BY RESOLUTION OF THE PLANNING BOARD OF THE CITY OF BEACON, NEW YORK, ON THE _____ DAY OF _____, 20____, SUBJECT TO ALL REQUIREMENTS AND CONDITIONS OF SAID RESOLUTION. ANY CHANGE, ERASURE, MODIFICATION OR REVISION OF THIS PLAT AS APPROVED, SHALL VOID THIS APPROVAL.

SIGNED THIS _____ DAY OF _____, 20____, BY _____

----- CHAIRMAN

SECRETARY

IN ABSENCE OF THE CHAIRMAN OR SECRETARY, THE ACTING CHAIRMAN OR ACTING SECRETARY
RESPECTIVELY MAY SIGN IN THIS PLACE.

OWNER'S CONSENT:

THE UNDERSIGNED OWNER OF THE PROPERTY HEREON STATES THAT HE IS FAMILIAR WITH THIS MAP, ITS CONTENTS AND ITS LEGENDS AND HEREBY CONSENTS TO ALL SAID TERMS AND CONDITIONS AS STATED HEREON.

ALLA BARES _____ DATE _____

Dig Safely.
New York
800-962-7962
www.digsafelynewyork.org

- ☐ Call Before You Dig
- ☐ Wait The Required Time
- ☐ Confirm Utility Response
- ☐ Respect the Marks
- ☐ Dig With Care

SCHEDULE OF REGULATIONS (R1-7.5 ZONING DISTRICT) AND LOT CONFORMANCE TABLE:		
PARAMETER	REQUIREMENT	ALL PROPOSED LOTS
LOT AREA:	7,500 SQUARE FEET MIN	>7,500 SF
LOT WIDTH:	75 FEET MINIMUM	>75 FT
LOT DEPTH:	100 FEET MINIMUM	>100 FT
YARD SETBACKS (RESIDENTIAL USE):		
FRONT YARD:	30 FEET MINIMUM	>30 FT
SIDE YARD:	*10 FEET MINIMUM	>10 FT
SIDE YARD (TOTAL OF TWO):	20 FEET MINIMUM TOTAL	>20 FT
REAR YARD:	*30 FEET MINIMUM	>30 FT
BUILDING COVERAGE:	MAX 30%	<30%
DWELLING UNITS PER LOT:	MAX 1	1
* 5' MINIMUM FOR ACCESSORY BUILDINGS		